

MITSUBISHI GALANT GTi






POWER

- All Power Convenience
- Roomy Interior
- Large Sports Seats




RPLAY

A reserve of 145.5 ps of rallye proven muscle.
Top speed of 205 kph.
All power convenience.
Aero parts enhanced high speed stability.
Four wheel disc brakes with 15 inch high performance tires.
Cabin roominess. The comfort of large sports seats.
Active Safety Engineering.
Go ahead...make my day!



- Cyclone 2000 DOHC-16V with ECI-Multi and Multi Point Injection.



- Four wheel disc brakes.



- 15 inch aluminum alloy wheels with high performance tires.



- Auto driving lamps. Fog lamps at low beam. Driving lamps at high beam.



DIGITAL COMMAND

The ECI-Multi Digital Command System is an on-board computer with 14 sensors that manage your car's vital functions. The system automatically adjusts timing and fuel delivery at the speed of 0.007 seconds.

SPECIFICATIONS

Model	Mitsubishi Galant GTi	
DIMENSIONS AND WEIGHTS		
Overall Length	mm.	4570
Overall Width	mm.	1695
Overall Height	mm.	1435
Wheelbase	mm.	2600
Ground Clearance	mm.	180
Track Front	mm.	1460
Rear	mm.	1450
Kerb Weight	kg.	1200
Gross Vehicle Weight	kg.	1720
PERFORMANCE		
Maximum Speed	kph.	205
Maximum Climbing Ability	(tan ϕ)	0.46
Minimum Turning Radius	m.	5.3
TRANSMISSION		
Model	Mitsubishi F5M22	
Type	5-Speed Manual	
Gear Ratios		
1st	3.083	
2nd	1.947	
3rd	1.285	
4th	0.939	
5th	0.756	
Reverse	3.083	
Final Gear Ratio	4.592	
FUEL SYSTEM		
Fuel Tank Capacity	liters	60
Fuel Pump	Electric Fuel Pump, In-Tank Type	
SUSPENSION		
Front	McPherson Strut with Wide Track Layout with Stabilizers Compression Type Lower Arms	
Rear	Torsion Axle, 3 Link Geometry with Wide Track Layout and High Ground Clearance	
BRAKES		
Front	10.5" Ventilated Discs	
Rear	10.5" Discs	
STEERING		
Steering Wheel	4-Spoke Urethane	
Steering Gear	Rack and Pinion with Power Steering	
Steering Column	Tilt Angle Adjustable	
WHEELS AND TIRES		
Wheels	5.5J x 15" Aluminum Wheels	
Tires	195/60 SR-15	

STANDARD EQUIPMENT

INSTRUMENTATION

Illuminated Meter Cluster with Speedometer (kph); Tachometer; Twin Trip Meters; Fuel Gauge with Low Fuel Warning Lamp; Water Temperature Gauge; Low Oil Pressure Warning Lamp; Battery Charging Warning Lamp; Low Brake Fluid Level Warning Lamp; Parking Brake On Warning Lamp; Door Open Warning Lamp; High Headlight Beam Indicator; Turn Signal Indicator; Hazard Warning Flasher with On Indicator; Lighting Monitor Buzzer; Column Switch, 2-Lever (Multi-Use) Type with Lane Changer

INTERIOR EQUIPMENT

Large Sporty Type Front Bucket Seats with Adjustable Head Restraints; Velour Fabric Upholstery; Reclining/Sliding/Height Adjuster (Driver's Seat); High Back Rear Seats with Large Type Head Restraints; Trunk Through Opening; Center Armrest; Front Seat Belts: 3-Point Uni-Belt with Comfort Zone Adjustable Belt Anchor and ELR (Automatic Locking by G Sensor); Rear Seat Belts: 3-Point Uni-Belt with ELR (Automatic Locking by G Sensor) and Lap Belt

EXTERIOR EQUIPMENT

New One Piece Polypropylene Aero Bumpers, Large Type Side Garnish; Front and Side Air Dams; Rear Air Spoiler with LED Stop Lamp

ELECTRICAL EQUIPMENT

27AH/5HR Battery; Dual Horns; Dual Square-Type Halogen Headlamps; Front Combination Driving and Fog Lamps with On-Off Switch to Synchronize with Headlights (High Beam/Driving Lamps On, Low Beam/Fog Lamps On); Amber Side Turn Signal On Front Combination Lamp; Rear Combination Lamp (Tail/Stop, Turn/Hazard and Back-Up Lamp); License Plate Lamp with Garnish; Front Fender Marker Lamp; Room Lamp with Personal Lamp; Map Lamp; Door Courtesy Lamp; Trunk Room Lamp; 2-Speed, Intermittent Variable Semi-Concealed Windshield Wipers; 4-Jet Windshield Washer Synchronized to Wipers; Power Antenna

LUXURY FEATURES

Power Windows with One Touch Switch for Continuous Auto Up/Down on Driver's Side; Auxiliary Door Grip Mounted Switch for Central Door Locking System for Driver with Override Mechanism; Door Pockets; Center Console Box; Large Glove Box; Assist Grip Handles and Coat Hangers; Sunvisors with Ticket Holder (Driver) and Vanity Mirror (Passenger); Large Knockout Day and Night Type Inside Rear View Mirror; Electrically Controlled Remote Side View Mirrors; Foot Rest; Remote Trunk Lid Opener; Remote Fuel Filler Lid Opener; Childproof Locks; Cigarette Lighter; Digital Quartz Clock; Ashtrays (Front and Rear); Front and Rear Door Armrests

E	N	G	I	N	E
MODEL		MITSUBISHI 4G63			
SYSTEM		ECI MULTI Digital Command System Multi-Point Injection One Injector per Cylinder 4-Cylinder In-Line Wide Angle DOHC with Roller Rocker Arms (RRA)			
DISPLACEMENT		1997 cc.			
BORE X STROKE		85.0 x 88.0 (mm.)			
COMPRESSION		9.8 : 1			
MAX. OUTPUT (DIN net)		145.5 ps at 6500 rpm (DIN net)			
MAX. TORQUE (DIN net)		17.3 kg-m at 5000 rpm (DIN net)			

VENTILATION

Center Air Outlet with Shutter; Left and Right Dashboard Outlets; Air Outlet Under Steering Column; Dial Type Aircon Controls (Air Directional Control)

AUTHORIZED AIRCON SYSTEM

Mit-Air Original Equipment Aircon System FX80 (Scroll Compressor)

• Mitsubishi Motors - PAMCOR reserves the right to alter any details of specifications and equipment without notice.

See your nearest Mitsubishi dealer for details of any possible changes that may be done.

• Vehicle color may differ slightly from the colored photo in this brochure.



Mitsubishi genuine parts keep your vehicle at its best for years on end.

MITSUBISHI



DESIGNED TO BE DRIVEN

Sole Assembler & Distributor:

Philippine Automotive Manufacturing Corporation

